


M301

Solid Carbide Drills, With Internal Coolant

Application Range

HELIX TOOLS

- General Steel
- Cast Steel
- Soft Structural Steel
- Stainless Steel
- Tool Steel
- High-alloy Steel
- High Temperature Alloys
- Cast Materials
- Non-ferrous Metals
- Titanium Alloys
- Plastics.



Order Code	d ₁ mm m7	l ₁ mm	l ₂ mm	l ₃ mm	d ₂ mm h6
M301-0300 TLN	3.0	62	20	14	6
M301-0310 TLN	3.1	62	20	14	6
M301-0320 TLN	3.2	62	20	14	6
M301-0330 TLN	3.3	62	20	14	6
M301-0340 TLN	3.4	62	20	14	6
M301-0350 TLN	3.5	62	20	14	6
M301-0360 TLN	3.6	62	20	14	6
M301-0365 TLN	3.65	62	20	14	6
M301-0370 TLN	3.7	62	20	14	6
M301-0380 TLN	3.8	66	24	17	6
M301-0390 TLN	3.9	66	24	17	6
M301-0400 TLN	4.0	66	24	17	6
M301-0410 TLN	4.1	66	24	17	6
M301-0420 TLN	4.2	66	24	17	6
M301-0430 TLN	4.3	66	24	17	6
M301-0440 TLN	4.4	66	24	17	6
M301-0450 TLN	4.5	66	24	17	6
M301-0460 TLN	4.6	66	24	17	6
M301-0470 TLN	4.7	66	24	17	6
M301-0480 TLN	4.8	66	28	20	6
M301-0490 TLN	4.9	66	28	20	6
M301-0500 TLN	5.0	66	28	20	6
M301-0510 TLN	5.1	66	28	20	6
M301-0520 TLN	5.2	66	28	20	6
M301-0530 TLN	5.3	66	28	20	6
M301-0540 TLN	5.4	66	28	20	6
M301-0550 TLN	5.5	66	28	20	6
M301-0555 TLN	5.55	66	28	20	6
M301-0560 TLN	5.6	66	28	20	6
M301-0565 TLN	5.65	66	28	20	6
M301-0570 TLN	5.7	66	28	20	6
M301-0580 TLN	5.8	66	28	20	6
M301-0590 TLN	5.9	66	28	20	6
M301-0600 TLN	6.0	66	28	20	6
M301-0610 TLN	6.1	79	34	24	8
M301-0620 TLN	6.2	79	34	24	8
M301-0630 TLN	6.3	79	34	24	8
M301-0640 TLN	6.4	79	34	24	8
M301-0650 TLN	6.5	79	34	24	8
M301-0660 TLN	6.6	79	34	24	8
M301-0670 TLN	6.7	79	34	24	8
M301-0680 TLN	6.8	79	34	24	8
M301-0690 TLN	6.9	79	34	24	8
M301-0700 TLN	7.0	79	34	24	8
M301-0710 TLN	7.1	79	41	29	8
M301-0720 TLN	7.2	79	41	29	8
M301-0730 TLN	7.3	79	41	29	8
M301-0740 TLN	7.4	79	41	29	8
M301-0750 TLN	7.5	79	41	29	8




M301

Solid Carbide Drills, With Internal Coolant

Application Range

HELIX TOOLS

- General Steel
- Cast Steel
- Soft Structural Steel
- Stainless Steel
- Tool Steel
- High-alloy Steel
- High Temperature Alloys
- Cast Materials
- Non-ferrous Metals
- Titanium Alloys
- Plastics.



Order Code	d ₁ mm m7	l ₁ mm	l ₂ mm	l ₃ mm	d ₂ mm h6
M301-0755 TLN	7.55	79	41	29	8
M301-0760 TLN	7.6	79	41	29	8
M301-0770 TLN	7.7	79	41	29	8
M301-0780 TLN	7.8	79	41	29	8
M301-0790 TLN	7.9	79	41	29	8
M301-0800 TLN	8.0	79	41	29	8
M301-0810 TLN	8.1	89	47	35	10
M301-0820 TLN	8.2	89	47	35	10
M301-0830 TLN	8.3	89	47	35	10
M301-0840 TLN	8.4	89	47	35	10
M301-0850 TLN	8.5	89	47	35	10
M301-0860 TLN	8.6	89	47	35	10
M301-0870 TLN	8.7	89	47	35	10
M301-0880 TLN	8.8	89	47	35	10
M301-0890 TLN	8.9	89	47	35	10
M301-0900 TLN	9.0	89	47	35	10
M301-0910 TLN	9.1	89	47	35	10
M301-0920 TLN	9.2	89	47	35	10
M301-0930 TLN	9.3	89	47	35	10
M301-0940 TLN	9.4	89	47	35	10
M301-0950 TLN	9.5	89	47	35	10
M301-0955 TLN	9.55	89	47	35	10
M301-0960 TLN	9.6	89	47	35	10
M301-0970 TLN	9.7	89	47	35	10
M301-0980 TLN	9.8	89	47	35	10
M301-0990 TLN	9.9	89	47	35	10
M301-1000 TLN	10.0	89	47	35	10
M301-1010 TLN	10.1	102	55	40	12
M301-1020 TLN	10.2	102	55	40	12
M301-1030 TLN	10.3	102	55	40	12
M301-1040 TLN	10.4	102	55	40	12
M301-1050 TLN	10.5	102	55	40	12
M301-1060 TLN	10.6	102	55	40	12
M301-1070 TLN	10.7	102	55	40	12
M301-1080 TLN	10.8	102	55	40	12
M301-1090 TLN	10.9	102	55	40	12
M301-1100 TLN	11.0	102	55	40	12
M301-1110 TLN	11.1	102	55	40	12
M301-1120 TLN	11.2	102	55	40	12
M301-1130 TLN	11.3	102	55	40	12
M301-1140 TLN	11.4	102	55	40	12
M301-1150 TLN	11.5	102	55	40	12
M301-1155 TLN	11.55	102	55	40	12
M301-1160 TLN	11.6	102	55	40	12
M301-1170 TLN	11.7	102	55	40	12
M301-1180 TLN	11.8	102	55	40	12
M301-1190 TLN	11.9	102	55	40	12
M301-1200 TLN	12.0	102	55	40	12
M301-1210 TLN	12.1	107	60	43	14
M301-1220 TLN	12.2	107	60	43	14




M301

Solid Carbide Drills, With Internal Coolant

Application Range

HELIX TOOLS

- General Steel
- Cast Steel
- Soft Structural Steel
- Stainless Steel
- Tool Steel
- High-alloy Steel
- High Temperature Alloys
- Cast Materials
- Non-ferrous Metals
- Titanium Alloys
- Plastics.



Order Code	d ₁ mm m7	l ₁ mm	l ₂ mm	l ₃ mm	d ₂ mm h6
M301-1230 TLN	12.3	107	60	43	14
M301-1240 TLN	12.4	107	60	43	14
M301-1250 TLN	12.5	107	60	43	14
M301-1260 TLN	12.6	107	60	43	14
M301-1270 TLN	12.7	107	60	43	14
M301-1280 TLN	12.8	107	60	43	14
M301-1290 TLN	12.9	107	60	43	14
M301-1300 TLN	13.0	107	60	43	14
M301-1310 TLN	13.1	107	60	43	14
M301-1320 TLN	13.2	107	60	43	14
M301-1330 TLN	13.3	107	60	43	14
M301-1340 TLN	13.4	107	60	43	14
M301-1350 TLN	13.5	107	60	43	14
M301-1360 TLN	13.6	107	60	43	14
M301-1370 TLN	13.7	107	60	43	14
M301-1380 TLN	13.8	107	60	43	14
M301-1390 TLN	13.9	107	60	43	14
M301-1400 TLN	14.0	107	60	43	14
M301-1410 TLN	14.1	115	65	45	16
M301-1420 TLN	14.2	115	65	45	16
M301-1430 TLN	14.3	115	65	45	16
M301-1440 TLN	14.4	115	65	45	16
M301-1450 TLN	14.5	115	65	45	16
M301-1460 TLN	14.6	115	65	45	16
M301-1470 TLN	14.7	115	65	45	16
M301-1480 TLN	14.8	115	65	45	16
M301-1490 TLN	14.9	115	65	45	16
M301-1500 TLN	15.0	115	65	45	16
M301-1510 TLN	15.1	115	65	45	16
M301-1520 TLN	15.2	115	65	45	16
M301-1530 TLN	15.3	115	65	45	16
M301-1540 TLN	15.4	115	65	45	16
M301-1550 TLN	15.5	115	65	45	16
M301-1560 TLN	15.6	115	65	45	16
M301-1570 TLN	15.7	115	65	45	16
M301-1580 TLN	15.8	115	65	45	16
M301-1590 TLN	15.9	115	65	45	16
M301-1600 TLN	16.0	115	65	45	16
M301-1650 TLN	16.5	123	73	51	18
M301-1700 TLN	17.0	123	73	51	18
M301-1750 TLN	17.5	123	73	51	18
M301-1800 TLN	18.0	123	73	51	18
M301-1850 TLN	18.5	131	79	55	20
M301-1880 TLN	18.8	131	79	55	20
M301-1900 TLN	19.0	131	79	55	20
M301-1950 TLN	19.5	131	79	55	20
M301-2000 TLN	20.0	131	79	55	20

